

QuickTask Mopping System

Range of flat mopheads and hardware

Flat mops provide a very efficient way to clean and disinfect surfaces as they allow the user to mimic the “pull and lift” action of a wipe thereby physically removing contaminants from the surface.

Contec mop head frames are specifically designed to give good, even coverage with no uneven pressure points. The robust head joint allows controlled movement of the mop head to ensure all surfaces can be reached improving the consistency of the cleaning and disinfection process.

QuickTask mop head frames are available in stainless steel or durable autoclavable plastic. QuickTask Magnetic mop head frames can be used hands-free in conjunction with the QuickTask Hands-free mop head removal tool. The hinged mop frames allows quick and easy replacement of the mop heads encouraging operators to change mop heads frequently in line with best practice.

Each mop head has been specifically chosen to be compatible with a wide range of chemicals and disinfectants including quats and hypochlorite solutions. We can offer one of widest ranges of flat mop heads; from sterile knitted polyester for Grade B rooms to cost-effective microfibre or polyester/ cellulose mop heads.

The mop head frames can be used with a variety of QuickConnect Mop Handles allowing them to be used in all sizes of room and facility. The mop frames and handles are all autoclavable at 121 °C for 30 minutes.











Features	Benefits
Magnetic hinged design	<ul style="list-style-type: none"> • Easy to replace mop heads promote prompt replacement by operators • Hands-free removal and addition if used with removal tool and saturation system
Constructed from stainless steel or durable autoclavable polypropylene	<ul style="list-style-type: none"> • Suitable for autoclaving allowing use in highest grade areas • Compatible with most common detergents and disinfectants
Robust head joint	<ul style="list-style-type: none"> • Allows controlled movement to ensure all surfaces can be reached
Flat contact plate	<ul style="list-style-type: none"> • Ensures good contact with smooth surfaces with no uneven pressure points improving the consistency of the cleaning and disinfection process
Designed for use with QuickConnect Mop Handles	<ul style="list-style-type: none"> • Different handles can be interchanged easily and quickly • Extendable and fixed length handles are available to facilitate cleaning in the most confined areas or with the highest ceilings.

For more information or to request a sample, email infoeu@contecinc.com or phone +33 (0) 2 97 43 76 98.

Copyright © 2023 Contec, Inc. All rights reserved. INT251 240323

Flat Mop Heads

The QuickTask product line consists of a variety of knitted polyester, polyester/cellulose, microfibre/foam, and microfibre flat mop heads that are easily installed onto the hinged mop head frame and handle assembly. Each mop head has been specifically chosen to be compatible with a wide range of chemicals and disinfectants including quats and hypochlorite solutions.

<p>QuickTask Microgenesis MGMP004/MGMP005</p> 	<p>Lightweight Microfibre flat mop heads</p> <ul style="list-style-type: none"> • Lightweight and cost effective • Ideal for the removal of gross soil and fine particulates • Allows even release of disinfectant and detergents
<p>TASK0500 / TASK0550</p> 	<p>Cellulose/Polyester blend flat mop heads</p> <ul style="list-style-type: none"> • Highly sorbent and cost effective • Suitable for removal of light soils, residues and biofilms. • Sterile or non-sterile options
<p>QuickTask MHQT TASK0100/TASK0150</p> 	<p>Two-ply 100% polyester flat mop heads</p> <ul style="list-style-type: none"> • Low levels of particle and fibres • Excellent surface coverage • Sterile or non-sterile options
<p>TASK0200 / TASK0250</p> 	<p>Knitted 100% polyester mop heads</p> <ul style="list-style-type: none"> • Cleanroom laundered 100% polyester knit ensures a low level of particulates • Sorbent multi-layer knitted structure applies solutions evenly • Sterile or non sterile options
<p>TASK0300</p> 	<p>Looped microfibre mop heads</p> <ul style="list-style-type: none"> • Exceptional sorbency and mop to dry performance on wet surfaces • Cost effective as can be laundered and autoclaved • Highly effective at the removal of liquids, soils, residues and other contaminants
<p>TASK0400</p> 	<p>Knitted looped microfibre polyester mop heads</p> <ul style="list-style-type: none"> • Cleanest and most durable mop head, very low levels of particulates. • Exceptional value as can be repeatedly laundered and autoclaved. • Loops also provide high levels of sorbency and good performance drying wet surfaces.
<p>TASK0600</p> 	<p>Polyester microfibre foam flat mop heads</p> <ul style="list-style-type: none"> • Microfibre face and foam core construction ensures excellent floor contact and sorbency • Ribbed microfibre face allows for exceptional cleaning and mop-to dry performance • Durable and economical
<p>TASK0800 / TASK0850</p> 	<p>Microfibre flat mop heads</p> <ul style="list-style-type: none"> • 100% polyester single-loop microfibre provides exceptional sorbency • Ultrasonically cut to reduce fibre shedding • Available sterile and nonsterile

Mop Head Frames

Choice of flat mop head frame either stainless steel or durable autoclavable polypropylene construction. Lightweight to reduce operator fatigue and encourage compliance. Magnetic versions can be used hands-free with the Contec QuickTask Hands-free mop head removal tool. The mop head frames are specifically designed to give good even coverage with no uneven pressure points.

All frames are autoclavable at 121°C for 30 minutes.



QuickTask Magnetic Mop Head Frame 2906



QuickTask Magnetic Mop Head Frame 2699P



QuickTask Mop Head Frame 2740

QuickConnect Mop Handles

Contec's QuickConnect handles offer maximum flexibility for cleaning and disinfection in controlled environments. The interchangeable mop handles can be used with all Contec mop head frames. The mop head frames have identical "quick-connect" buttons which enable easy attachment to all sizes and styles of QuickConnect mop handles.

Contec's cleanroom mop handles are suitable for autoclaving or sterilization. The mop frames and handles are all autoclavable at 121°C for 30 minutes. We can offer stainless steel mop handles, anodized aluminum mop handles, and fiberglass mop handles in a variety of handle lengths, including telescopic options for reaching high ceilings.

2725E



2643



2645



2746



Flat Mop Heads

Description	Part No.	Size	Quantity
QuickTask MicroGenesis lightweight microfibre mop head	MGMP0004	41 x 15cm	5 mops x 24 bags
QuickTask Sterile MicroGenesis lightweight microfibre mop head	MGMP0005	41 x 15cm	5 mops x 24 bags
QuickTask Cellulose/Polyester mop head	TASK0500	41 x 15cm	4 mops x 12 bags
QuickTask Sterile Cellulose/Polyester mop head	TASK0550	41 x 15cm	1 mop x 40 bags
QuickTask Quilted MHQT 2-ply polyester mop head	MHQT0100	41 x 15cm	5 mops x 8 bags
QuickTask Sterile Quilted MHQT 2-ply polyester mop head	MHQT0150	41 x 15cm	5 mops x 8 bags
QuickTask 100% polyester mop head	TASK0200	41 x 15cm	4 mops x 12 bags
QuickTask Sterile 100% polyester mop head	TASK0250	41 x 15cm	1 mop x 40 bags
QuickTask Looped microfibre mop head	TASK0300	41 x 15cm	5 mops x 24 bags
QuickTask Knitted looped microfibre polyester mop head	TASK0400	41 x 15cm	5 mops x 24 bags
QuickTask Polyester microfibre foam mop head	TASK0600	41 x 15cm	1 mop x 40 bags
QuickTask Microfibre mop head	TASK0800	41 x 15cm	5 mops x 8 bags
QuickTask Sterile Microfibre mop head	TASK0850	41 x 15cm	5 mops x 8 bags

Mop Head Frames

Description	Part No.	Size	Quantity
QuickTask Magnetic Mop Head Frame Stainless steel	2906	40 x 15cm	Each
QuickTask Magnetic Mop Head Frame Polypropylene	2699P	40 x 15cm	Each
QuickTask Polypropylene Mop Head Frame Used with 2725E and 2746 QuickConnect Handles	2740	40 x 15cm	Each

QuickConnect Mop Handles

Description	Part No.	Size	Quantity
QuickConnect Handle Stainless steel one piece handle	2725E	150cm	Each
QuickConnect Extendable Handle Stainless steel telescopic handle	2645	130 - 230cm	Each
QuickConnect Extendable Handle Anodised aluminium telescopic handle	2643	130 - 230cm	Each
QuickConnect Extendable Handle Fibreglass telescopic handle	2746	180 - 330cm	Each
QuickConnect Extendable Handle Fibreglass telescopic handle	2746S	95 - 166cm	Each